

QUICKCABLE

Material Safety Data Sheet (MSDS)

Description: Protective Spray

Part Number: 120142

SECTION I CONTACT INFORMATION

Date: May 2000

Quick Cable Corporation
3700 Quick Drive, Franksville, WI 53126
Telephone: 1-800-558-8667

Emergency Telephone: INFOTRAC 1-800-535-5053

Quick Cable Product I.D.: 120142

SECTION II HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components Specific Chemical Identity (Common Name(s))	CAS#	ACGIH TLV	OSHA PEL	OTHER LIMITS	Percent
Inhibited Paraffinic Oil	Mixture 5mg/m3	5 mg/m3	(mist)	10-20	N/A
Microcrystalline Wax	8009-03-8	NE	5 mg/m3	NE	15-35%
Xylene	1330-20-7	100 ppm	100 ppm	NE	1-10%
Petroleum Distillate	8052-41-3	NE	NE	100 ppm	10-20%
Isohexanes	107-83-5	500 ppm	500 ppm	NE	30-50%
n-Hexane	110-54-3	50 ppm	NE	<10	N/A
Heptane	142-82-5	400 ppm	400 ppm	NE	1-10%
Ethylbenzene	100-41-4	100 ppm	100 ppm	NE	<2%

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance and odor: Red viscous liquid.

Solubility in Water: Negligible in Water

Freezing Point: Not Determined

Boiling Point: 138°F-144°F *Approximate

Evaporation Rate: Not Applicable

Specific Gravity (H₂O=1): .85

Vapor Density (Air=1): >Air

Vapor Pressure (mm Hg): Not Determined

% Volatile: 78.4% **g/L:** 526 **lbs./gal** 4.38

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): <0°F (TCC) Flammable

Extinguishing Media: Carbon Dioxide, Foam, and Dry Chemical

LEL: 1.7

UEL: 9.0

Hazardous Combustion Products: Thermal-carbon monoxide

Unusual Fire and Explosion Hazards: Extremely Flammable. Contents under pressure.

Special Fire Fighting Procedures: Remove Aerosol containers from fire area if possible. Use a self-contained breathing apparatus for fire fighting. Aerosol cans may explode if heated above 120°F.

SECTION V REACTIVITY DATA

Stability: Stable

Chemical Incompatibilities: Strong oxidizers

Conditions to avoid: Do not store above 120°F to prevent cans from exploding.

Hazardous Polymerization: No

Hazardous Decomposition of By-products: None

Materials to avoid: Strong oxidizers

Long-term toxicological studies have not been conducted for this product.

SECTION VI HEALTH HAZARD DATA

Primary Route(s) of Entry: Inhalation, skin and eyes

Signs and Symptoms of Exposure: *Inhalation:* Headaches, dizziness, nausea and anesthesia. *Skin and Eyes:* May cause irritation/drying. *Ingestion:* NA.

Chronic overexposure: Dermatitis

Medical Conditions Generally Aggravated by Exposure: Not applicable

Emergency and First Aid Procedures: (If symptoms persist, contact a physician)

Inhalation: Remove to fresh air, Give artificial respiration if necessary

Ingestion: Do not induce vomiting. Call a physician

Eyes: Flush with large amounts water for 15 minutes

Skin: Remove contaminated clothing and wash area with soap and water

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Steps taken in Case Material is Released or Spilled: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material.

Waste disposal Method: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Precautions to be taken in Handling and Storing: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

SECTION VIII CONTROL MEASURES

Respiratory Protection (Specific Type): Use NIOSH/MSHA compliant respirators or a self contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Ventilation: Adequate to prevent accumulation of vapors.

Protective Clothing: Wear chemically protective gloves and safety glasses. Use splash aprons and boots if splashing occurs.

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

SECTION IX OTHER REGULATORY INFORMATION

	<u>NFPA</u>	<u>HMIS</u>
Health (Blue)	2	2
Flammability (Red)	4	4
Reactivity (Yellow)	0	0

PPE: B

SARA Title III: Section 311/312: Acute, Pressure **Section 313:** n-Hexane, Xylene, Ethylbenzene *See Section 2 for percentage
California Prop 65: This product contains chemicals known to the state of California to cause cancer, birth defects and other reproductive harm

CERCLA/Superfund (RQ): NA

TSCA: All components are either listed under TSCA or are exempt.

This information is accurate to the best of Quick Cable Corporation's Knowledge or obtained from sources believed by Quick Cable to be accurate. Before using this product, read all warnings and directions on the label.