

QUICKCABLE

Material Safety Data Sheet (MSDS)

Description: Silicone Lubricant

Part Number: 6902

SECTION I

Date: 07/2013

Emergency Telephone 1-800-535-5053 (Infotrac)

Quick Cable Corporation

3700 Quick Drive

Franksville, WI 53126

Quick Cable Product ID:

Telephone: 1-800-558-8667

SECTION II

HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components Specific Chemical Identity	CAS #	ACGIH TLV	OSHA PEL	Range Percent by weight	Average
Dimethyl Polysiloxane	63148-62-9			100	

SECTION III

PHYSICAL/CHEMICAL CHARACTERISTICS

Vapor Pressure: Negligible

Vapor Density: Negligible

Soluble in Water: Insoluble

Specific Gravity: 0.99

Boiling Point: > 260 C

Volatile Organic Compound %: Unknown

pH: Unknown

Appearance: Clear, Liquid

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Flash Point: > 204 C

Estimated HMIS Code: 000B

Extinguishing Agents: Carbon Dioxide or Dry Chemical (small fires), foam or water spray

Hazardous Products Formed by Fire: Carbon Dioxide, Carbon monoxide, silicon dioxide

Explosive Limits: Unknown

Special fire fighting procedures: NA

LEL: **UEL:**

SECTION V
REACTIVITY DATA

Stability: Stable
Hazardous Polymerization: Will not occur
Incompatibilities: Strong acids and oxidizing materials

SECTION VI
HEALTH HAZARD DATA

Primary Route(s) of Entry:
Signs and symptoms of exposure: *Skin*-Contact with skin causes no known irritation. *Eyes*-Contact with eyes may cause redness.
Chronic Overexposure:
Medical Conditions Generally aggravated by exposure:
Emergency and First Aid Procedures: *Eyes*-Flush eyes with copious amounts of water for 15 minutes. If irritation persists contact a physician. *Skin*-Wash contacted areas with soap and water. *Inhalation*-If overcome, remove victim to fresh air. Administer oxygen if problem persists..
Carcinogenicity NTP: No
IARC Monographs: No
OSHA Regulated: No

SECTION VII
PRECAUTIONS FOR SAFE HANDLING AND USE

Handling: No special requirements.
Storage: Store in temperatures below 100°F
Transportation Class or Type: DOT and IATA, Non-hazardous
Cleaning up Spills: Use absorbent material to collect and contain material for disposal
Recommendation of Disposal: Dispose in accordance with Federal, State and Local regulations

SECTION VIII
CONTROL MEASURES

Respiratory Protection (Specific Type):
Ventilation: Not Required
Protective Clothing: Gloves
Eye and Face Protection: Safety Goggles or Glasses
Work Hygienic Practices:

SECTION IX
OTHER REGULATORY INFORMATION

	<u>NFPA</u>	<u>HMIS</u>
Health (Blue)	0	
Flammability (Red)	0	
Reactivity (Yellow)	0	

PPE:

SARA Title III: Section 311/312:

Section 313:

Extremely Hazardous substance:

California Proposition 65:

This information is accurate to the best of Quick Cable Corporation's knowledge or obtained from sources believed by Quick Cable to be accurate. Before using any product, read all warnings and directions on the label.